Prenatal Education in Ontario The Evidence for Prenatal Education



Prenatal education is designed to provide participants with the knowledge and skills they need to improve pregnancy and birth outcomes and helps prepare participants for early parenting. This fact sheet shares an overview of key findings from peer reviewed literature (including systematic reviews) and grey literature¹ from 2007 to 2013 related to prenatal education.

Prenatal education can be delivered both in-person and online and includes:

- Traditional prenatal education classes (designed and advertised for the general public)
- Group prenatal education courses offered through health care provider practices
- Registered and non-registered groups (such as drop-in groups at a Parent Resource Centre, teen programs, the Canada Prenatal Nutrition Program)
- One-on-one prenatal education through population-wide programs (for example, Healthy Babies Healthy Children)
- General universal prenatal information provided by a health care provider (but not individual medical information or care)
- Brochures, handouts and resources
- Online courses, apps, websites



¹ Grey literature is non-commercially published written material.

EVIDENCE FOR PRENATAL EDUCATION

H

Why Future Parents Attend Prenatal Education

Future parents seek out prenatal education for a variety of reasons. Reasons include:

- To have their questions answered and issues addressed
- To encourage partner involvement
- To receive support and education
- Referral from a health care professional (Nova Scotia Health Promotion and Protection, 2008)

Benefits of Prenatal Education

Many benefits have been found to be associated with prenatal education. Benefits include:

- Improved maternal mental health (National Childbirth Trust, 2010)
- Increased mental preparation for childbirth among pregnant women (Koehn, 2008)
- Decreased use of epidural anesthesia during childbirth (Ferguson, Davis & Brown, 2013)
- An increased likelihood of arriving at the hospital in active labour (Ferguson, Davis and Brown, 2013)
- Increased breastfeeding initiation and continuation (Schrader-McMillan, Barlow & Redshaw, 2009)
- Greater satisfaction with the couple and parent-infant relationships after birth (National Childbirth Trust, 2010)

Format of Prenatal Education

Prenatal education has been found to be effective when delivered in a variety of formats, including:

- Traditional Group Prenatal Education group classes offered on a regular basis (Maimburg, Væth, Durr, Hvidman & Olsen, 2010; Nova Scotia Health Promotion & Protection, 2008)
- Psychology-Based Prenatal Education prenatal education that focuses on the psychological aspects of childbirth (Brown, Feindberg & Kan, 2012; Feinberg & Kan, 2008; Larra, Navarro & Navarrete, 2010)
- Drop-In Prenatal Education (Rosen, Krueger, Carney & Graham, 2008)
- Online Prenatal Education (Pate, 2009; Salonen et al., 2011)
- One-on-One Prenatal Education (Milgrom, Schembri, Ericksen, Ross & Gemmill, 2011; Sercekus & Mete, 2010)
- Group Prenatal Care medical care and childbirth education offered simultaneously in a group setting (Ickovics et al., 2007; Ruiz-Mirazo, Lopez-Yarto & McDonald, 2012)
- Combined Group and Individual Prenatal Education classes that are delivered through a mixture of both individual and group prenatal sessions (Doherty, Erickson & LaRossa, 2006; Hesselink, Van Poppel, Van Eijsden, Twisk & Van der Wal, 2012)



FACT SHEET





Prenatal education that is designed to meet the needs of specific demographic groups has been found to be effective among several populations including:

- Indigenous women (Walkup et al., 2009)
- Pregnant adolescents and their partners (Schrader-McMillan, Barlow & Redshaw, 2009)
- Spanish speaking women (Gill, Reifsnider & Lucke, 2007; Kieffer et al., 2013)
- Black women (Kothari, Zielinski, James, Charoth & Sweezy Ldel, 2014)

Barriers and Facilitators Impacting Traditional Group Prenatal Class Attendance

While the benefits of prenatal education are well documented, several factors are known to influence participation in traditional group prenatal classes.

Barriers to traditional group prenatal class attendance include:

- A lack of time (Tighe, 2010)
- A lack of transportation (Fabian, 2008; Tighe, 2010)
- Distance from where the class is being offered (Fabian, 2008; Simpson, Newman & Chirino, 2010)
- The cost of prenatal education (Simpson, Newman & Chirino, 2010)
- A lack of space in the classes (Nova Scotia Health Promotion and Protection, 2008)
- A lack of awareness about available classes (Nova Scotia Health Promotion and Protection, 2008)
- Arriving in a new country during pregnancy (Boerleider et al., 2013)
- Language barriers (Boerleider et al., 2013)



by/par health nexus santé

• Childcare and transportation

FACT SHEET (1

- Prenatal education that is connected to other community organizations or health care providers
- A comfortable environment that is free from judgment and open to diversity (Nova Scotia Health Promotion and Protection, 2008)

Who Is At-Risk of Not Receiving Prenatal Education?

Several groups of women have been found to be less likely to receive prenatal education, including:

- Single mothers (Fabian, 2008)
- Visible minorities (Lu et al., 2003)
- Mothers without a high school diploma (Lu et al., 2003)
- Mothers who have lower incomes (Fabian, 2008; Lu et al., 2003)
- Mothers who are unemployed (Fabian, 2008)

As these women are at greater risk of adverse prenatal and childbirth outcomes, more must be done to provide relevant information prior to and during pregnancy.

Please refer to fact sheet 2 that outlines the Ontario demographics for prenatal education class participation.



best start meilleur départ

Using the Evidence

FACT SHEET


A great deal of research has been conducted on the nature and effectiveness of prenatal education. In order to improve the delivery of prenatal education in Ontario, providers can benefit from an understanding of the research and local evidence related to:

- What pregnant women and their partners/support people want from prenatal education
- The benefits of prenatal education
- The variety of ways that women and their partners/support people access prenatal information
- The barriers to prenatal education
- The needs of specific populations, especially those less likely to access prenatal education

Further steps must be taken to promote and support the delivery of high quality prenatal education across all demographic groups. Knowledge mobilization efforts for prenatal information providers, such as communities of practice, listservs, newsletters, and learning/networking opportunities, will also support strong, evidence-based approaches to prenatal education.

References

- Boerleider, A., Wiegers, T., Manniën, J., Anneke, L., Francke, A., Walter, L., and Devillé, W. (2013). Factors Affecting the Use of Prenatal Care by Non-Western Women in Industrialized Western Countries: a Systematic Review. *BMC Pregnancy and Childbirth*; 13:81.
- Brown, L., Feinberg, M., and Kan, M. (2012). Predicting Engagement in a Transition to Parenthood Program for Couples. *Evaluation and Program Planning*; 35: 1–8.
- Doherty, WJ., Erickson, MF., and LaRossa, R. (2006). An Intervention to Increase Father Involvement and Skills With Infants During the Transition to Parenthood. *Journal of Family Psychology*; 20 (3): 438-447.
- Fabian, H. (2008). Women who do not Attend Parental Education Classes During Pregnancy or After Birth. Retrieved from: https://publications.ki.se/xmlui/bitstream/handle/10616/39205/thesis.pdf?sequence = 1
- Feinberg, ME., and Kan, ML. (2008). Establishing Family Foundations: Intervention Effects on Coparenting, Parent/Infant Well-Being, and Parent–Child Relations. *Journal of Family Psychology*; 22(2): 253–263.
- Ferguson, S., Davis, D., and Browne, J. (2013). Does Antenatal Education Affect Labour and Birth? A Structured Review of the Literature. *Women and Birth*; 26: e5–e8.
- Gill, SL., Reifsnider, E., and Lucke, JF. (2007). Effects of Support on the Initiation and Duration of Breastfeeding. *Western Journal of Nursing Research*; 29 (6): 708-723.
- Hesselink, AE., Van Poppel, MN., Van Eijsden, M., Twisk, JW., and Van der Wal, MF. (2012). The Effectiveness of a Perinatal Education Programme on Smoking, Infant Care, and Psychosocial Health for Ethnic Turkish Women. *Midwifery*; 28: 306–313.



- Ickovics, JR., Kershaw, TS., Westdahl, C., Magriples, U., Massey, Z., Reynolds, H., and Rising, SS. (2007). Group Prenatal Care and Perinatal Outcomes A Randomized Controlled Trial. *Obstetrics & Gynecology*; 110 (2).
- Kieffer, EC., Caldwell, CH., Welmerink, DB., Welch, KB., Sinco, BR., and Guzmán, JR. (2013). Effect of the Healthy MOMs Lifestyle Intervention on Reducing Depressive Symptoms Among Pregnant Latinas. American Journal of Community Psychology; 51:76–89.
- Koehn, M. (2008). Contemporary Women's Perceptions of Childbirth Education. *The Journal of Perinatal Education*; 17(1):11-18.
- Kothari, CL., Zielinski, R., James, A., Charoth, RM., and Sweezy Ldel, C. (2014). Improved Birth Weight for Black Infants: Outcomes of a Healthy Start Program. *American Journal of Public Health*; Supplement 1: 104:S96–S104.
- Lara, MA., Navarro, C., and Navarrete, L. (2010). Outcome Results of a Psycho-Educational Intervention in Pregnancy to Prevent PPD: A Randomized Control Trial. *Journal of Affective Disorders*; 122: 109–117.
- Lu, M., Prentice, J., Yu, S., Inelas, M., Lange, L., and Halfon, N. (2003). Childbirth Education Classes: Sociodemographic Disparities in Attendance and the Association of Attendance With Breastfeeding Initiation. *Maternal and Child Health Journal*; 7 (2): 87-93.
- Maimburg, R., Væth, M., Durr, J., Hvidman, L., and Olsen, J. (2010). Randomised Trial of Structured Antenatal Training Sessions to Improve the Birth Process. *BJOG*; 117:921–928.
- Milgrom, J., Schembri, C., Ericksen, J., Ross, J., and Gemmill, AW. (2011). Towards Parenthood: An Antenatal Intervention to Reduce Depression, Anxiety and Parenting Difficulties. *Journal of Affective Disorders*; 130: 385–394.
- National Childbirth Trust, (2010). *NCT Antenatal Services Policy, Practice and Evidence*. Retrieved from: <u>http://www.nct.org.uk/sites/default/files/related_documents/1AntenatalReportFINALWITHOUTBLEED_0.pdf</u>
- Nova Scotia Health Promotion & Protection. (2008). *Prenatal Education and Support Needs in Nova Scotia*. Retrieved from: <u>http://novascotia.ca/dhw/healthy-development/documents/Prenatal-Education-and-Support-Needs-in-Nova-Scotia.pdf</u>
- Pate, B. (2009). A Systematic Review of the Effectiveness of Breastfeeding Intervention Delivery Methods. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*; 642-653.
- Rosen, IM., Krueger, MV., Carney, LM., and Graham, JA. (2008). Prenatal Breastfeeding Education and Breastfeeding Outcomes. *The American Journal of Maternal/Child Nursing*; 33(5): 315-9.
- Ruiz-Mirazo, E., Lopez-Yarto, M., and McDonald, SD. (2012). Group Prenatal Care Versus Individual Prenatal Care: A Systematic Review and Meta-Analyses. *Journal of Obstetrics and Gynaecology Canada*; 34(3):223–229.
- Salonen, AH., Kaunonen, M., Astedt-Kurki, P., Järvenpää, AL., Isoaho, H., and Tarkka, MT. (2011). Effectiveness of an Internet-Based Intervention Enhancing Finnish Parents' Parenting Satisfaction and Parenting Self-Efficacy During the Post Partum Period. *Midwifery*; 27: 832–841.




FACT SHEET

7

- Schrader McMillan, A., Barlow, J., and Redshaw, M. (2009). Birth and Beyond: A Review of the Evidence about Antenatal Education. Retrieved from: http://webarchive.nationalarchives.gov.uk/20130107105354/ http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_110371.pdf
- Sercekus, P., and Mete, S. (2010). Effects of Antenatal Education on Maternal Prenatal and Postpartum Adaptation. Journal of Advanced Nursing; 66(5), 999-1010.
- Simpson, KR., Newman, G., and Chirino, OR. (2010). Patients' Perspectives on the Role of Prepared Childbirth Education in Decision Making Regarding Elective Labor Induction. The Journal of Perinatal Education; 19(3): 21–32.
- Tighe, S. (2010). An Exploration of the Attitudes of Attenders and Non-Attenders Towards Antenatal Education. Midwifery; 26 (3): 294-303.
- Walkup, JT., Barlow, A., Mullany, BC., Pan, W., Goklish, N., Hasting, R., Cowboy, B., Fields, P., Baker, EV., Speakman, K., Ginsburg, G., and Reid, R. (2009). Randomized Controlled Trial of a Paraprofessional-Delivered In-Home Intervention for Young Reservation-Based American Indian Mothers. Journal of the American Academy of Child and Adolescent Psychiatry; 48(6): 591-601.

This document has been prepared with funds provided by the Government of Ontario. The information herein reflects the views of the authors and is not officially endorsed by the Government of Ontario.



2014

FACT SHEET